


EASTON PARISH COUNCIL



Defibrillator Update

May 2016

Helping to save lives in Easton

Easton Defibrillator

Helping to save lives in Easton

As a Parish Council we agreed last September to start fund raising for a Defibrillator and I am pleased to say that we now have enough money to purchase our first defibrillator. So far we have raised approximately £2356 with the hard work and dedication of Dr Sunil Nair, Veronica Green, Melisa Turner, Margaret Hart and a vast number of residents and business in the village including the St Peters Primary School, Rembrandt restaurant, Sheer Elegance and Diocesan House. Without their fantastic support we would not be in the position to purchase this life saving equipment.

In April we received an unexpected CIL payment of £530, it is proposed that the Parish Council should ear mark this payment towards the defibrillator fund, which in turn will take us to our stated goal of £2800 for the purchase of our first defibrillator.

Case for purchase now.

The British Heart Foundation have now reopened its grant funding round however to receive funding we have to agree that the defibrillator is left in an unlocked cabinet at all times and we can only purchase 1 of 2 defibrillators which they will supply.

The Community Heartbeat Trust (CHT) which is a charity offers partner communities who opt for an AED & cabinet with the following services at **no additional cost**:

- Webnos cPAD internet based Governance System
- Post Event Trauma Counselling
- Volunteer Emergency Telephone System (First year free, Setup charge of £45. Subsequent years £100) Optional
- AED Signage (Pack of 4)
- Rescuer Safety Kit (Torch, Hi-vis Jacket, Carry Bag)
- Community Cardiac Arrest Response Seminar (nominally up to approx 50 people)
- Fund raising support (leaflets, donation buckets etc.)
- Project banking facilities
- Individual on-line project donation page.
- Complete Policies & Procedures pack
- Post Event Patient Data Downloading (Tier one AED's only)
- Post rescue replacement electrodes (AED Dependant)
- Cabinet maintenance kit (metal cabinets only)
- 10 Year AED warranty

The CHT has to date, placed over 1800 cPAD schemes around the UK, working on projects with UK Ambulance Trusts, Police Forces, Fire & Rescue services, organisations such as BT, Sainsbury's, the Rugby Football Union, the Mid Counties Co-op and also with over 250 councils, most recently being awarded the contract to supply 104 cPAD schemes for Central Bedfordshire council and 26 for Nottinghamshire Fire & Rescue.

Having investigated what devices and cabinets that are currently on the market, it is suggested that we purchase

- 1. 1 Lifeline VIEW Semi-Automatic Defibrillator**
- 2. 1 CHT Cabinet Model No:DEF503518SS**

The lifeline view provides the user with on screen prompts and the company will supply free replacement pads in the event of use. See attached leaflet

The recommended cabinet is a robust cabinet which is placed in many city centres, see attached leaflet.

The cost of these items purchased via CHT is £1995.00 plus vat see attached quote.

Attached also are 2 other quotes offering the same equipment, however they are a purchase and forget service rather than a supported service.

The cheapest alternative option by combining companies to achieve a similar like for like quote was £1959.49 plus vat

Given the total package on offer from the Community Heartbeat Trust, it is recommended that the Parish Council pass a motion to purchase the above recommended device and cabinet via CHT.

It is also recommended that a sum of £150 of the defibrillator fund is set aside to purchase fridge magnets and the printing cost of an A5 leaflet to advertise, to every resident in Easton of the existence and how to use a defibrillator.

It is also recommended that the Parish Council looks it investigate the use of the Volunteer Emergency Telephone system and promote the training of volunteer responders.

Prepared by Peter Milliken

08 May 2016



Choosing the right partner for your community defibrillator solution is critical. Working with CHT you get the right equipment, with the right support, meeting the right Governance issues, and the long term assurance to help make your project a success.

Reason 1 - The CHT range of defibrillator cabinets – the only UK design that meets ALL the required guidelines and specifications for storage of medical devices



High visibility yellow cabinets to ensure easy identification in poor light or dark conditions (just like ambulances)

Powered cabinets conform to all health and safety regulations including legal safety markings on *outside* of cabinet

AED logo follows international ILCOR guidelines of green and white heart on a background that makes this stand out

Marine grade stainless steel mechanical locks to avoid any jamming and corrosion found with Aluminium or electronic

Unique coding and identification system for easy traceability and provenance of all parts – just like an airplane

Unique logo based instruction set to meet disability, SEL, SEN dyslexia, and other regulations and legal requirements

IP65 CERTIFIED cabinet in its 'end user' configuration. All electrical components meet ISO standards

Pressure equalization devices, and other patented mechanisms to reduce possibility of door jamming in an emergency


A range of other design features which aid anti-vandal, anti-theft, Governance, and structural stability including stainless steel carcass*

Reason 2 – a range of defibrillator types to meet your exact need, and taking into account the users, location and community needs. All meet the various regulations and requirements.

Reason 3 – a full and holistic package to include equipment supply, training, governance, signage, long term support, registration with your ambulance service, consumable resupply and more. What happens if your defibrillator or cabinet develop a fault?

Reason 4 – WebNos™ management tool allows for full Governance on your site. You have medical equipment and this has to be kept well maintained and ready for action at all times. WebNos manages this process for you, and also links to your ambulance service, enabling them to be able to activate your defibrillator in an emergency, without fear of Vicarious Liabilities. WebNos also generates reports for the coroner, and keeps a full audit trail of activity with your defibrillator.

Reason 5 – We are a not for profit organisation. Any surpluses are used to the aims of the charity rather than going into shareholders pockets.



further





Reason 6 – We will tell you the facts about community defibrillation, and not avoid issues that many suppliers may not advise you of. We help you manage the *Risk, Liability & Governance*

Reason 7 – Working with the ambulance services in the UK, with ambulance staff on our board of management, we ensure close co-operation with the requirements and governance of the ambulance services, as well as legal considerations. This ensures your equipment will be the right equipment, and used in the right way.

Reason 8 – We ensure that only the highest quality of manufacture of the equipment supplied, supported by a full backup service in case of problems such as lock jams on cabinets, or battery problems. All equipment is manufactured to **ISO9002** standards by companies that have long trading histories, and therefore reputations to keep!

Reason 9 – Research and Development: all our services are constantly improving and developing in line with the needs of this fast moving marketplace. We undertake research into this area, and are always looking at new ways to help the community, not only in the right equipment supply, but also ongoing support processes.

Reason 10 – We are there even after a rescue, to help download critical data; to provide counselling support; to help recommission your equipment; to make sure ‘duty of care’ is followed.

CHT is staffed by people who are medically trained and are committed to a great passion for community defibrillation. We are here to help you do this right.

Our services are not the cheapest, but they are ‘**Gold Standard**’ - the **best** and most **holistic**. For example, this is medical equipment, and it has to be looked after. It is no use having a steel cabinet that has an aluminium lock that may jam in time and cannot be opened in a rescue. Nor one that professes to be waterproof, yet cannot show any certification for its IP rating. Or one that fails to address disability legislation or even recognises the international symbology for defibrillators.

Our training programmes for communities are appropriate, designed for this placement, and are comprehensive and in everyday, non-medical, language. These sessions are open to as many people as you require in the community.

Our **governance** support is essential, particularly if there is a death and a coroner enquiry. Our WebNos™ Governance system is fully comprehensive and links to the ambulance service. Our support for you in areas of addressing liability is also unique, and we offer the only truly robust accreditation system to ensue public confidence.

IP rating	Feature	Implication
IPX4	No dirtproof certification and only splash proof	May expose equipment to dirt, insects, water
IP65	100% dirtproof, insect proof and ability to withstand storms, or water fired from a jet	Minimum standard to ensure equipment is kept dry, clean and safe from insects, dirt and water

If you are going to invest in a community defibrillator, do it right.

For more information please contact the Charity via the web site below.

www.communityheartbeat.org.uk

The ‘People-Heart’ logo, cPAD logo and CHT logo are trademarks of the Community HeartBeat Trust
Registered charity number 1132824.

IP ratings have to be tested in the ‘end user configuration’ supported by a certificate issued by a recognised testing body



Lifeline VIEW



Lifeline VIEW Semi-Automatic Defibrillator

FULL-COLOR VIDEO INSTRUCTION DELIVERS BREAKTHROUGH EASE-OF-USE

THE ONLY DEFIBRILLATOR DESIGNED WITH COMMUNITY USE IN MIND

The Lifeline VIEW makes it easy for anyone — from first responders to untrained members of the public — to respond confidently and appropriately during an emergency. This revolutionary life-saving device combines a sleek, user-friendly design with military-grade specifications — including the most proven biphasic waveform. It's also the first and only AED with a full-color interactive display that shows step-by-step videos for performing CPR, rescue breathing and external defibrillation.

You can also be confident that the device will be easy to maintain and rescue ready. The Lifeline VIEW provides clear guidance for using and maintaining the device. Additionally, it has been designed to support upgrades and enhancements.

Like the original award-winning Defibtech AED, the Lifeline VIEW includes all the mission-critical features necessary to provide the most advanced cardiac treatment and exceeds the American Heart Association performance recommendations.



Lifeline VIEW Semi-Automatic Defibrillator

TECHNICAL SPECIFICATIONS*

DEFIBRILLATOR

TYPE Semi-Automatic external defibrillator	DISPLAY High-resolution color LCD
MODEL DDU-2300 series	VIDEO PROMPTS Full motion video On-screen text prompts
WAVEFORM Biphasic Truncated Exponential (Impedance compensated)	CPR COACHING Video and voice coaching On-demand video help
ENERGY Adult: 150 Joules Child / Infant: 50 Joules (Nominal into 50 Ohm load)	VOICE PROMPTS Extensive voice prompts guide user through operation of the unit
CONTROLS Lighted On/Off button Lighted Shock button	RESCUE PROTOCOL AHA 2005 Supports protocol updates by the user (password protected)
CHARGE TIME** Less than 4 seconds (shock decision to shock)	

**Typical, with new battery at 25° C

PATIENT ANALYSIS SYSTEM

PATIENT ANALYSIS Automatically evaluates patient impedance for proper pad contact. Monitors signal quality and analyzes patient ECG for shockable/ non-shockable rhythms.	SENSITIVITY/SPECIFICITY Meets AAMI-DF-80 specifications and AHA recommendations
---	--

BATTERY PACK

MODEL DBP-2003	CAPACITY** 125 shocks or 8 hours continuous operation
POWER 12V, 2800 mAh	STANDBY LIFE** 4 years
TYPE Lithium/Manganese Dioxide Disposable, recyclable, non-rechargeable	LOW BATTERY INDICATORS Visible Audible
	**Typical, with new battery at 25° C

SELF TESTS

AUTOMATIC Automatic daily, weekly and monthly circuitry tests	USER-INITIATED Unit and battery pack system test initiated by the user
BATTERY INSERTION System integrity test on battery insertion	STATUS INDICATION Visual and audible indication of unit status
PAD PRESENCE Pads preconnected tested daily	STATUS SCREEN Unit self-test results Pads and battery information (status and expiration)

DEFIBRILLATION / MONITORING PADS

MODEL Adult – DDP-2001 Child / Infant – DDP-2002	SURFACE AREA 77 cm ² (nominal, each pad) 50 cm ² (nominal, each pad)
TYPE Pre-connected, single-use, non-polarized, disposable, self-adhesive electrodes with cable and connector	

EVENT DOCUMENTATION

INTERNAL EVENT RECORD Critical ECG segments and rescue event parameters are recorded (greater than 60 minutes) and can be downloaded to a removable data card	REMOVABLE STORAGE (optional) Up to 30 hours of ECG and event data storage (no audio option) or up to 3 hours of audio (audio option). ECG and event storage on a removable data card. Actual length of storage is dependent on card capacity.
PC-BASED EVENT REVIEW ECG with event tag display, and audio playback when available	USB PORT Event download and maintenance operations

ENVIRONMENTAL

TEMPERATURE Operating: 0 to 50°C (32 to 122°F) Standby: 0 to 50°C (32 to 122°F)	SHOCK / DROP ABUSE TOLERANCE MIL-STD-810F 516.5 Procedure IV 48 inches (1.2 meters), any edge, corner, or surface, in standby mode
RELATIVE HUMIDITY Operating / Standby: 5%-95% (non-condensing)	CRUSH TEST 1,000 pounds (450 kg)
ALTITUDE -500 to 15,000 ft (-150 to 4500 m) per MIL-STD-810F 500.4 Procedure II	SEALING / WATER RESISTANCE IEC60529 class IP55; Protected against dust and waterjets (battery pack installed)
VIBRATION Ground (MIL-STD-810F 514.5 Category 20) Helicopter (RTCA/DO-160D, Section 8.8.2, Cat R, Zone 2, Curve G) Jet Aircraft (RTCA/DO-160D Section 8, Cat H, Zone 2, Curves B & R)	ESD EN61000-4-2: (Open air up to 8kV or direct contact up to 6kV)
	EMC (Emission) CISPR 11 Group 1 Level B and FCC Part 15
	EMC (Immunity) IEC 61000-4-3 and IEC 61000-4-8

PHYSICAL

SIZE 7.3 x 9.5 x 2.3 Inches (18.5 x 24 x 5.8 cm)	WEIGHT Less than 3 lbs (1.4 kg) (with battery)
---	---

*Specifications subject to change without notice



Defibtech, LLC • Guilford, CT 06437 1-203-453-4507
1-866-DEFIB-4U (866-333-4248) • www.defibtech.com



0197



DAC-2703-AE rev A

CHT Cabinet Specifications

Model No: DEF503518SS

Waterproof heavy duty defibrillator enclosure, manufactured exclusively for the Community HeartBeat Trust. It is manufactured from 2mm thick 304 stainless steel and was designed jointly with the UK ambulance services to meet their needs for public access defibrillator cabinets, and is the only design to comply with all required specifications and requirements..

Manufactured with a high degree of water and dust protection in accordance with EN60529 tested to NEMA 4 standards, and SIRA certified, the **only** defibrillator cabinets to be so approved

High visibility yellow cabinets to ensure easy identification in poor light or dark conditions (just like ambulances)

Powered cabinets conform to all health and safety regulations including safety markings on *outside* of cabinet

Marine grade stainless steel mechanical locks to avoid jamming and corrosion found with Aluminum or electronic

Unique coding and identification system for easy traceability and provenance of all parts

Unique logo based instruction set to meet disability, SEL, SEN and other regulations

IP65 CERTIFIED cabinet in its 'end user' configuration. All electrical components meet ISO standards

AED logo follows international ICLOR guidelines of green and white on a background that makes this stand out

Pressure equalization devices, and other patented mechanisms to reduce possibility of door jamming in an emergency



The "Original" cPAD Cabinet

2mm Stainless Steel IP 65

For more information please contact the Charity via the web site below.

www.communityheartbeat.org.uk





GreenUrban's Public Access Defibrillator Security Box



- Easily installed
- No electrician required - plugs into a standard wall socket
- Low voltage "In Box", 15 volt transformer - Low running cost
- Frost protection heater
- Status Lights
- Internal light to aid night use
- Single hand entry
- Blank dedication panel
- Pre set locking codes as required
- 304 grade stainless steel outer shell



Locking Options:

- Mechanical Lock supplied as standard
- Electronic Lock option
- Remote Access Lock option
- Swipe Card Lock option

Upgrade Options:

- Overhead Lighting
- Overhead Canopy
- Fittings for Mounting Post
- Emergency Vehicles/ Vessel Kits
- Remote Temperature / Condition Readout
- Real time logging of access, usage and status
- Off grid solar power package

Also available in 316 Grade Stainless Steel for harsh environments



The Community Heartbeat Trust (Solutions)
PO Box 168

Haverhill
Suffolk
CB9 1AX
Tel : 0845 8627739
Email : office@communityheartbeat.org.uk
VAT Reg No: 187 5510 82



The Community HeartBeat Trust

QUOTATION

Page 1

Easton Parish Council
29 Woodview Road

Easton
Norfolk
NR9 5EU

Quotation No	795
Quotation Date	06/05/2016
Order No	
Account Ref	EAS006

This is not a V.A.T Invoice

Qty Ordered	Product Code	Description	Unit Price	Net Amount
1.00	CPAD-ECO-VIEW	cPAD View Semi Auto Defib+ Stainless Steel Ecopad Or	1,995.00	1,995.00
1.00	CPAD-SS-VIEW	cPAD View Semi Automatic Defib+Stainless Steel Cabinet	1,995.00	1,995.00
1.00	INCLUDED	Webnos Governance System	0.00	0.00
1.00	INCLUDED1	Cardiac Arrest Response Seminar	0.00	0.00
1.00	INCLUDED2	Post Rescue Counselling	0.00	0.00
1.00	INCLUDED3	1st Year Village Emergency Telephone System	0.00	0.00

Please note prices are subject to VAT at 20%

Carriage £ 0.00

0800 612 6304

support@thedefibpad.co.uk

Defibrillators

Accessories

Storage

Training

SEARCH FOR A PRODUCT

Secure Checkout

[Continue Shopping](#)

Item	Price Each (ex VAT)	Quantity	Total (ex VAT)
 <p>Outdoor Defibrillator Cabinet with Code Lock, Heating System and LED Light Product Code: DSMCLHLED</p>	£598.00	1	£598.00

Delivery Options

How would you like your goods to be delivered?

[See Delivery Charges & Times](#)

Standard

£6.50

Total Weight	7 kg
Shipping (ex VAT)	£6.50
Goods (ex VAT)	£598.00
VAT	£120.90
Order Total (inc VAT)	£725.40

Payment Options

Please Select Payment Method

Credit / Debit Card

PayPal

Proforma

Offer Code (optional):

Apply

Email Address

[Why is your email address important?](#)

Email Address *

Special Delivery Instructions

All parcels over 2kg require a signature when delivered. Alternatively you can give us [special delivery instructions](#) e.g. "parcel to be left in porch".

Please enter any special delivery instructions informing us where we can safely leave the parcel:

Delivery Address

Company Name (if applicable)

Title *

Mr

Forename

Surname *

Telephone Number

Post Code *

FIND

Please Note: Drivers are unfortunately unable to contact customers prior to delivery.

How did you find us (optional)?

please choose

Address Line 1 *


If other, please specify:

Address Line 2

Town / City *

County

Hide your phone number on delivery invoice?



ORDER HOTLINE

01298 872186

waterproof outdoor defibrillator cabinets.

A CE-TEK group company



Search site

Shopping Cart items 1

- Home
- Defibrillator Cabinets
- Defibrillators
- Schools
- Free Defibrillators*
- Special Offers
- About Us
- Contact Us

WE DONATE 10% OF OUR PROFITS TO UK HEART CHARITIES

ITEM	OPTIONS	QUANTITY	PRICE	REMOVE
 Deluxe Defibrillator Cabinet DFS5318-DX	Colour YELLOW Sta...	1	£849.50	x

FEES FOR <u>United Kingdom</u>	
SHIPPING FEES	£19.99
TAX FEES	£169.90
TOTAL	£1,039.39

CHECKOUT

Further Help

- Waterproof defibrillator cabinets
- Defibrillators
- Package Deals
- Leasing deals

About Defib Store

- About us
- Our Customers
- Our Supporters

Customer Service

- Terms and Conditions
- Privacy Policy
- Refund and Returns
- Shopping Cart
- Contact Us



Defib Store Ltd, Tideswell Business Park, Tideswell, Derbyshire. SK17 8NY



live support

chat with us

let us call you

email us

add contact to your site

FREE DELIVERY FOR ORDERS OVER £99*

LASER ENGRAVING ON ALL LITTMANN STETHOSCOPES

NHS PURCHASE ORDERS ACCEPTED

Shopping Cart

Pay with Amazon
 PayPal Check out
 -OR-
 [Proceed to Checkout](#)

Free products were added to your shopping cart.

PRODUCT	PRICE	QTY	SUBTOTAL
LIFELINE VIEW SEMI AUTOMATIC DEFIBRILLATOR SKU: DCF-E2310	£1,436.29	1	£1,436.29
MEDISAVE REUSABLE ALUMINIUM PEN TORCH SKU: PT060G	£0.00	1	£0.00

DISCOUNT CODES

[Apply](#)

LOGIN TO EARN: 1436 LOYALTY POINTS
 SUBTOTAL £1,436.29
 GRAND TOTAL EX. VAT £1,436.29
 TAX £287.26
 GRAND TOTAL INC. VAT £1,723.55

Empty Cart

[Update Shopping Cart](#) -OR-
[Continue Shopping](#)

Pay with Amazon

-OR-

PayPal Check out

The safer, easier way to pay

-OR-

[Proceed to Checkout](#)

BASED ON YOUR SELECTION, YOU MAY BE INTERESTED IN THE FOLLOWING ITEMS:

Spirit



Pentorch with domicillary pack

£15.79
Inc. VAT: £18.95

[Add to Cart](#)



Littmann Classic II S.E. Stethoscope: All Black 2218BE

£49.86
Inc. VAT: £59.83

[Add to Cart](#)



Medisave (UK) Ltd

Like Page 33k likes

Be the first of your friends to like this





defibrillators • consumables • training

Search by Product



Call Us
0845 071 0830

My
Account

My Basket
£1,090.00



Home

Defibrillators

Accessories

Training

Diagnostics

Manager's Special

Contact Us

Blog

Exclusive 10 YEAR Warranty
FREE Delivery on all Orders Over £50
FREE Replacement Pads

Home > Your Cart

Shopping Basket

Your order qualifies for FREE SHIPPING



Product Name
Defibtech Lifeline VIEW

Unit Price
£1,090.00

Qty
1

Subtotal
£1,090.00

[Remove item](#)

Enter your voucher code if you have one.

[Apply Voucher](#)

[Update Shopping Basket](#)

[Proceed to Checkout](#)

Subtotal	£1,090.00
VAT	£218.00
Grand Total	£1,308.00

Recommended For Your Defibrillator